IN THE CLAIMS:

Please amend claims as follows:

1. (currently amended) Ventilation tubing comprising, as seen from

the inside to the outside, a bush, an insulating layer and a cover sheet

characterized in that the insulating layer is a quartz-fiber wool, the thickness

of said quartz fiber wool is between 6 and 15 mm and said quartz-fiber wool

exhibiting a specific surface weight between 65 and 150 g/m², wherein the

bush (1) and/or and the cover sheet (3) is a plastic sheet having a weave of

interlaced filaments and wherein the specific surface weight of said plastic

sheet is substantially between 30 and 65 g/m² and its thickness is

substantially between 10 and 15 μ (microns).

2-3. canceled

4. (previously presented) Ventilation tubing as claimed in claim 1,

characterized in that the density of said quartz fiber wool is between 10 and

 20 kg/m^3 .

5. canceled

6. canceled

2

7. (previously presented) Ventilation tubing as claimed in claim 1, characterized in that it comprises a plastic winding (5, 6, 7) helically enclosing the bush and bonded to it by a flame-resistant adhesive.

8. (currently amended) Ventilation tubing comprising, as seen from the inside to the outside, a bush, an insulating layer and a cover sheet characterized in that the insulating layer is a quartz-fiber wool, Ventilation tubing as claimed in claim 1, wherein a plastic winding (5, 6, 7) helically encloses the bush and is bonded to the bush by a flame-resistant adhesive, and the winding is a filament (6) of which the diameter is between 1 and 2 mm.

- 9. (previously presented) Ventilation tubing as claimed in claim 7, characterized in that the winding (7) exhibits a specific cross-sectional geometry of which a substantially planar base (8, 11) makes contact with the bush.
- 10. (original) Ventilation tubing as claimed in claim 9, characterized in that said winding is an I-bar.

11. (currently amended) Ventilation tubing as claimed in claim [[2]] $\underline{1}$, characterized in that said quartz fiber wool exhibits a specific surface weight between [[65]] $\underline{80}$ and $\underline{100}$ [[150]] g/m².

12. canceled

13. (currently amended) Ventilation tubing as claimed in claim [[2]] 1, characterized in that the thickness of said quartz fiber wool is between 8 and 11 mm.

14-15. canceled

- 16. (previously presented) Ventilation tubing as claimed in claim 1, wherein the plastic sheet is a sheet of polyvinyl fluoride.
- 17. (previously presented) Ventilation tubing as claimed in claim 1, wherein the weave of interlaced filaments is a grid of polyamide filaments.
- 18. (previously presented) Ventilation tubing as claimed in claim 16, wherein the weave of interlaced filaments is a grid of polyamide filaments.

19. (new) Ventilation tubing comprising, as seen from the inside to the outside, a bush, an insulating layer and a cover sheet characterized in that the insulating layer is a quartz-fiber wool, wherein the bush (1) and/or the cover sheet (3) is a plastic sheet having a weave of interlaced filaments, characterized in that it comprises a plastic winding (5, 6, 7) helically enclosing the bush and bonded to it by a flame-resistant adhesive, and the winding (7) exhibits a specific cross-sectional geometry of which a substantially planar base (8, 11) makes contact with the bush.

20. (new) Ventilation tubing as claimed in claim 19, characterized in that said winding is an I-bar.